

A damage model based on failure threshold weakening

Gran, J.D.⁽¹⁾, Rundle, J.B.^(1,2,3), Turcotte, D.L.⁽²⁾, Holliday, J.R.⁽¹⁾ and Klein, W.⁽⁴⁾

(1) Department of Physics, University of California, Davis, Davis, USA
email gran@ms.physics.ucdavis.edu

(2) Department of Geology, University of California, Davis, Davis, USA

(3) Santa Fe Institute, Santa Fe, USA

(4) Department of Physics, Boston University, Boston, USA

A variety of studies have modeled the physics of material deformation and damage as examples of generalized phase transitions, involving either critical phenomena or spinodal nucleation. Here we study a model for frictional sliding with long range interactions and recurrent damage that is parameterized by a process of damage and partial healing during sliding. We introduce a failure threshold weakening parameter into the cellular-automaton slider-block model which allows blocks to fail at a reduced failure threshold for all subsequent failures during an event. We show that a critical point is reached beyond which the probability of a system-wide event scales with this weakening parameter. We provide a mapping to the percolation transition, and show that the values of the scaling exponents approach the values for mean-field percolation (spinodal nucleation) as lattice size L is increased for fixed R . We also examine the effect of the weakening parameter on the frequency-magnitude scaling relationship and the ergodic behavior of the model.